

Aerial, Dirt, Power & Whatever It Takes.

Texas  **First**



2021 RENTAL FLEET LINE CARD

844-TxFirst
(844-893-4778)

TexasFirstRentals.com

Texas  **First**

CAT **T H E**
Rental
STORE



AERIAL WORK PLATFORMS

BOOM LIFTS

Item

- 30' Articulating Boom Lift Electric
- 34-35' Articulating Boom Lift Diesel
- 40' Articulating Boom Lift Electric
- 45-46' Articulating Boom Lift Diesel
- 60-66' Articulating Boom Lift Diesel
- 80-86' Articulating Boom Lift Diesel
- 120-126' Articulating Boom Lift Diesel
- 130-136' Articulating Boom Lift Diesel
- 40-46' Telescoping Boom Lift Diesel Straight
- 60-66' Telescoping Boom Lift Diesel Straight
- 80-86' Telescoping Boom Lift Diesel Straight
- 120-126' Telescoping Boom Lift Diesel Straight
- 130-136' Telescoping Boom Lift Diesel Straight
- 34-35' Towable Boom Lift Electric
- 50' Towable Boom Lift Electric
- 60-66' Articulating Compact Crawler Boom Lift Electric
- 70-77' Articulating Compact Crawler Boom Lift Electric



AERIAL – SCISSORS

SCISSOR LIFTS – GENIE AND JLG

Item and Description

- 12' Personnel Lift S/P
- 20' Personnel Lift S/P
- 25-26' Personnel Lift
- 19' Micro Scissor Lift Electric With Leak Containment System
- 19-20' Scissor Lift Electric
- 26' Scissor Lift Electric
- 26' Scissor Lift Electric Narrow
- 32-33' Scissor Lift Electric Narrow
- 32-33' Scissor Lift Electric Wide
- 40' Scissor Lift Electric
- 46' Scissor Lift Electric
- 26-27' Rough Terrain Scissor Lift Diesel
- 32-33' Rough Terrain Scissor Lift Diesel
- 40' Rough Terrain Scissor Lift Diesel
- 43' Rough Terrain Scissor Lift Diesel
- 12'X65" Scissor Lift Trailer



Texas First

CAT THE RENTAL STORE

**844-TxFirst
(844-893-4778)**

TexasFirstRentals.com

AIR COMPRESSORS & AIR TOOLS

COMPRESSORS

Item	Description
Sullair 185 CFM	Towable, 185 CFM @ 80-125 PSI
Sullair 375 CFM	Towable, 375 CFM @ 80-125 PSI



AIR TOOLS - APT AND SULLAIR

Description

Rivet Buster, 30 lbs, 1,140 blows/min.

Paving Breaker, 70 lbs, 1,360 blows/min.

Paving Breaker, 92 lbs, 1,380 blows/min.

Rock Drill, 56 lbs, 1,650 blows/min.



MATERIAL HANDLING

TELEHANDLERS

Item	Description
5K	5,000 lb Reach Forklift 18-19'
6K	6,000 lb Reach Forklift 42-48'
8K	8,000-9000 lb Reach Forklift 42-48'
9K w/ Stabilizers	9,000 lb Reach Forklift w/ Stab 42-48'
10K	10,000 lb Reach Forklift 54-56'
10K w/ 75' of Reach	10,000 lb Reach Forklift 70-75'
12K	12,000 lb Reach Forklift 54-56'
16K	16,000 lb Reach Forklift 40-44'



FORKLIFTS

Item	Description
Cat GP25N5	5,000 lbs Capacity, 188" TSU Mast, Side Shift Carriage
Heli CPYD25	5,000 lbs Capacity, 185" TSU Mast, Side Shift Carriage



EARTHMOVING EQUIPMENT

SKID STEER LOADERS

Item	Description
Cat 226D3	65.8 Hp, 1,550 lbs Capacity
Cat 242D3	73.2 Hp, 2,150 lbs Capacity
Cat 262D3	73 Hp, 2,700 lbs Capacity
Cat 272D3 XE	110 Hp, 3,700 lbs Capacity



COMPACT TRACK LOADERS

Item	Description
TORO TX525	23.3 Hp, 553 lbs Capacity
Vermeer S725TX Mini Skid Steer	24.8 Hp, 750 lbs Capacity
ASV RT40 CTL	37.5 Hp, 931 lbs Capacity
Cat 239D3	67.1 Hp, 1,530 lbs Capacity
Cat 249D3	65.8 Hp, 2,300 lbs Capacity
Cat 259D3	73 Hp, 2,900 lbs Capacity
Cat 289D3	73 Hp, 3,800 lbs Capacity
Cat 299D3	106 Hp, 4,650 lbs Capacity
Cat 299D3 XE	106 Hp, 4,725 lbs Capacity
299D3 XE LM2	299 Skid Steer with Mulcher



BOX BLADE LOADERS

Item	Description
Cat 415 IL	69 Hp, 220 in ³ displacement



BACKHOE LOADERS

Item	Description
Cat 416	86 Hp, 14' Dig Depth
Cat 420	92 Hp, 14' Dig Depth
Cat 420 XE	92 Hp, 14' Dig Depth



WHEEL LOADERS & INTEGRATED TOOL CARRIERS

Item	Description
Cat 906M	73.0 Hp, 12,346 lbs, 1.2 CYd Bucket
Cat 914M	100.0 Hp, 19,315 lbs, 1.7-2.5 CYd Bucket
Cat 918M	115.0 Hp, 20,917 lbs, 2.5 CYd Bucket
Cat 926M	148 Hp, 28,742 lbs, 2.5-3 CYd Bucket
Cat 930M	154 Hp, 28,958 lbs, 3.7 CYd Bucket



DOZERS

Item	Description
D1	80 Hp, 17,544 lbs, 9'7" Blade Width, Ripper
D1 LGP	80 Hp, 17,544 lbs, 9'7" Blade Width, Ripper
D2	92 Hp, 18,080 lbs, 9'2" Blade Width, Ripper
D2 LGP	92 Hp, 18,761 lbs, 10'4" Blade Width, Ripper
D3	104 Hp, 20,534 lbs, 9'2" Blade Width, Ripper
D3 LGP	104 Hp, 21,266 lbs, 10'7" Blade Width, Ripper



EXCAVATORS

Item	Description
Cat 300.9D	13 Hp, 2,170 lbs, 10'1" Reach, 5'2" Depth
Cat 301.7D	17.7 Hp, 3,241 lbs, 11'9" Reach, 7'2" Depth
Cat 302.7D	20.7 Hp, 5,890 lbs, 14'7" Reach, 8'4" Depth
Cat 303.5E	23.5 Hp, 7,782 lbs, 16'2" Reach, 9' Depth
Cat 308E2	65 Hp, 18,519 lbs, 22'11" Reach, 15'5" Depth
Cat 313FL	92 Hp, 33,080 lbs, 27' Reach, 19'10" Depth
Cat 315FL	89 Hp, 32,600 lbs, 28.5' Reach, 18'10" Depth
Cat 316EL	113 Hp, 38,801 lbs, 30'5" Reach, 21'7" Depth
Cat 320	164 Hp, 49,200 lbs, 32'3" Reach, 22'1" Depth
Cat 325	172 Hp, 49,604 lbs, 32'1" Reach, 22' Depth



EARTHMOVING ATTACHMENTS

Item	Item
Compaction Wheel	Forklift Spreader Bar
Plate Compactor	Post Driver
Grubber	Tree Shear
Truss Booms	Broom Bucket
Grapple Rake	Auger Drives, Bits, Extensions
Versa Rake	Tiller
Hydraulic Hammers	Power Rake
Trencher	Box Blade
Angle Broom	Angle Blade
Cold Planer	Brush Cutter
Brush Mower	



ROCKWHEELS

Item	Description
Vermeer 6x24 RTX550	65 Hp, 26" Max Depth x 6" Max Cutting Width
Vermeer 8x40 RTX1250	120 Hp, 40" Max Depth x 8" Max Cutting Width
Vermeer 8x52 RTX1250	125 Hp, 52" Max Depth x 8" Max Cutting Width
Vermeer 10x40 RTX1250	120 Hp, 40" Max Depth x 10" Max Cutting Width
Vermeer 12x40 RTX1250	120 Hp, 40" Max Depth x 12" Max Cutting Width
Vermeer 12x46 RTX1250	125 Hp, 46" Max Depth x 12" Max Cutting Width



TRENCHERS

Item	Description
Vermeer RTX200	20 Hp, Walk Behind, 24" Trench Depth, 4-6" Trench Width
Vermeer RTX450	40 Hp, Ride On, 48" Trench Depth, 12" Max Trench Width



STREET SWEEPER

Item and Description
8' - 3 Wheel Cab Sweeper
8' - 4 Wheel Cab Sweeper w/ Enclosed Cab



SOD CUTTERS

Item	Description
Billy Goat SC181H – sod cutters	5.5 Hp, 18" cutting width

STUMP GRINDERS

Item	Description
Toro SGR-13	13 Hp Stump Grinder
Vermeer SC30TX	25 Hp Stump Grinder

ROLLERS & COMPACTION

SMALL COMPACTION

Item
190 lbs Plate Compactor
200 lbs Vibratory Rammer
Narrow Vibratory Rammer



WALK BEHIND TRENCH ROLLER

Item	Description
Wacker RTx-SC2	22" and 32" Drum Width, Remote
Bomag BMP8500	22" and 32" Remote



ASPHALT COMPACTORS

Item	Description
Wacker RD12A-90	1,130 lbs, 35" Drum Width
Cat CB24B	32.7 Hp, 6,003 lbs, Double Drum, 47"



VIBRATORY SOIL COMPACTORS

Item	Description
Cat CS/CP34	74 Hp, 9,799 lbs, Single Drum, 50"
Cat CS/CP44	100 Hp, 14,875 lbs, Single Drum, 66"
Cat CS/CP54B	130 Hp, 23,900 lbs, Single Drum, 84"



UTILITY & JOBSITE VEHICLES

DUMP TRUCKS

Item	Description
Ledwell	5 Yard Dump



WATER TRUCK & TRAILER

Item	Description
Ledwell	2,000 Gallon, Truck
Wylie EXP-500L-S	500 Gallon Poly Tank, Towable



VACUUM TRAILER

Item	Description
Vermeer LP533XDT	580 CFM Vacuum Pump Trailer



UTILITY VEHICLES

Item	Description
Club Car	4WD Utility Vehicle 2 Person - Gas
Club Car	4WD Utility Vehicle 2 Person - Diesel
Club Car	4WD Utility Vehicle 4 Person - Gas
Club Car	4WD Utility Vehicle 4 Person - Diesel



PRESSURE WASHER TRAILER


Item	Description
Mi-T-M HS-3505-OMDK	3,500 PSI Hot Pressure Washer Trailer



PUMPS

PUMPS

Description
2" Submersible Pump
2" Trash Pump
3" Trash Pump
4" Trash Pump
6" Towable Trash Pump
6" Towable Double Diaphragm Trash Pump



BRUSH CHIPPERS

BRUSH CHIPPER

Item	Description
Vermeer BC1000XL	Up to 12"



TRAILERS

TRAILERS

Item	Description
Pratt Trailer EZ1265TS	12' x 65" Deck, 7,000 lbs Carrying Capacity, 9,500 GVWR
Pratt EZ1480	14'9" x 80" Deck, 11,200 lbs Carrying Capacity, 1,400 GVWR
Pratt EZ1680	16' x 80" Deck, 10,810 lbs Carrying Capacity, 1,400 GVWR
Felling Trailer FT-10 CL	14' x 79" Deck, 7,480 lbs Carrying Capacity, 9,980 GVWR
Felling FT-10 DT	10' x 80" Deck, 20" high sides, 7,000 lbs. Carrying Capacity, 9,980 GVWR



TRUCK SAFETY RENTAL PRODUCTS

Description

Attenuator Truck

Message Board

Arrow Board

THE
SILENT
MESSENGER



WELDERS

WELDERS

Item	Description
Miller 325 Trailblazer	300 AMP, Diesel
Miller Bluestar 185	60-195 AMP, Gas
Miller Big Blue 400	20-400 AMP, Diesel



LIGHT TOWERS & GENERATORS

GENERATORS

Item	Description
Wacker GP 5600A	5.6kW, 120/240 Volts, 1 Phase
Cat XQ30N	30kW @ 208, 240 or 480 Volts, 3 Phase or 240 Volts, 1 Phase
Multiquip DCA25	20-24kW, 240/480 Volts, 3 Phase
Allmand MP65	50-59kW, 240/480 Volts, 3 Phase
Cat XQ60N	60kW @ 208, 240 or 480 Volts, 3 Phase or 240 Volts, 1 Phase
Cat XQ100N	100kW @ 208 or 480 Volts, 3 Phase



LIGHT TOWERS – VERTICAL AND HORIZONTAL

Item	Description
Allmand Night-Lite Pro II	Towable, Four 1,250 watt fixtures, 30' Mast, 6kW gen
Allmand Night-Lite Pro II	Towable, Four 1,250 watt fixtures, 30' Mast, 20kW gen



CONCRETE & MASONRY

BUGGIES

Item	Description
MultiQuip WBH-16EF	16 cu. ft. tub, foam-filled tires
Canycor SC75	16 cu. ft. tub, tracks



CUTOFF SAWS

Item	Description
Stihl TS420	14" Cut-Off Saw, Gas
Hilti DSHX700-X	14" Cut-Off Saw, Gas
Toro MBTX 2500	16 cu. ft. Tub, tracks




STREET SAWS & BLADES

Item	Description
Husqvarna FS400	14" Floor Saw, Gas
Husqvarna FS3500G	26" Walk Behind Saw, Gas




ELECTRIC TOOLS

Item	Description
Hilti TE60-ATC/AVR	Hammer Drill, 17 lbs, 3300 impacts/minute
Hilti TE800-AVR	Electric Breaker, 23 lbs, 1890 impacts/minute
Hilti TE2000-AVR	Electric Breaker, 32 lbs, 1800 impacts/minute
Hilti TE3000-AVR	Up Right Electric Breaker, 60 lbs, 860 impacts/minute
Hilti DD150	Core Drill, Hand Held or Rig Mtd 3 speed, dia. 8-162 mm
Hilti DD250	Core Drill, Rig Mounted 4 speed, diameter 12-450 mm
Hilti WMS100	Water Management System, filling vol. 14 l, flow rate 2 l/min



OUR BRANCH LOCATIONS

- BELTON**
 2625 Digby Drive
 Belton, Texas 76513
 254-217-8383
- BURLESON**
 3445 South Burleson Blvd.
 Alvarado, Texas 76009
 817-809-8255
- CORPUS CHRISTI**
 5529 Transport Industrial Drive
 Corpus Christi, Texas 78405
 361-949-5240
- CORPUS CHRISTI**
 361-949-5240
- DALLAS**
 10950 Plano Road
 Dallas, Texas 75238
 214-556-5507
- FT. WORTH**
 1600 NE Loop 820
 Ft. Worth, Texas 76106
 817-803-2933
- IRVING**
 3131 State Hwy 161
 Irving, Texas 75062
 469-458-7977
- LAREDO**
 109 S. Aviators
 Laredo, Texas 78043
 956-307-5767
- LEWISVILLE**
 1800 E. State Hwy 121
 Lewisville, Texas 75056
 214-501-0580
- LITTLE ELM**
 27700 E. University Dr.
 Aubrey, Texas 76227
 469-586-0230
- PFLUGERVILLE**
 16017 N. IH 35
 Pflugerville, Texas 78660
 512-994-2257
- SAN ANTONIO**
 5246 Tacco Drive
 San Antonio, Texas 78244
 210-960-4810
- SAN ANTONIO**
 3206 S. WW White Rd
 San Antonio, Texas 78222
 210-960-4810
- SAN ANTONIO TRADESMAN**
 15242 Tradesman
 San Antonio, Texas 78249
 210-802-4151
- SAN MARCOS**
 6215 S. IH 35
 San Marcos, Texas 78666
 512-956-5499
- THREE RIVERS**
 3246 N. Hwy 37 Access
 Three Rivers, Texas 78071
 361-265-4443
- TYLER**
 7720 US Hwy 69 N.
 Tyler, Texas 75706
 903-405-4825
- VICTORIA**
 203 Holt Road
 Victoria, Texas 77905
 361-881-4677
- WACO**
 3118 Gholson Road
 Waco, Texas 76705
 254-218-3344
- WAXAHACHIE**
 6820 N. IH 35 E.
 Waxahachie, Texas 75165
 469-242-2272
- WESLACO**
 725 E. State Hwy 83
 Weslaco, Texas 78596
 956-413-8668
- WILLOW PARK**
 4500 E. Interstate 20
 Service Rd S.
 Willow Park, Texas 76087
 817-310-9595



● Trench Safety Solutions

For our latest branch openings, go to [TexasFirstRentals.com](https://www.texasfirstrentals.com)

Texas First



844-TxFirst
(844-893-4778)

© 2021 Texas First Rentals

Equipment specifications, availability, and rental rates are subject to change.

© 2021 Caterpillar. All Rights Reserved. CAT, CATERPILLAR, LET'S DO THE WORK, their respective logos, "Caterpillar Yellow", the "Power Edge" and Cat "Modern Hex" trade dress as well as corporate and product identity used herein, are trademarks of Caterpillar and may not be used without permission. www.cat.com / www.caterpillar.com